Theorems and Postulates

Postulate 2-A Protractor Postulate

Given \overrightarrow{AB} and a number r between 0 and 180, there is exactly one ray with endpoint A, extending on either side of \overrightarrow{AB} , such that the measure of the angle formed is r.

Definition of Right, Acute and Obtuse Angles

 $\angle A$ is a right angle if $m \angle A$ is 90. $\angle A$ is an acute angle if $m \angle A$ is less than 90. $\angle A$ is an obtuse angle if $m \angle A$ is greater than 90 and less than 180.

Postulate 2-B Angle Addition

If R is in the interior of $\angle PQS$, then $m\angle PQR + m\angle RQS = m\angle PQS$. If $m\angle PQR + m\angle RQS = m\angle PQS$, then R is in the interior of $\angle PQS$.


Vertical angles are congruent.

The sum of the measures of the angles in a linear pair is 180°.

The sum of the measures of complementary angles is 90°.

Postulate 3-A Ruler Two points on a line can be paired with real numbers so that, given any two points **R** and **S** on the line, **R** corresponds to zero, and **S** corresponds to a positive number.

Point R could be paired with 0, and S could be paired with 10.



Postulate 3-B Segment Addition

If N is between M and P, then MN + NP = MP. Conversely, if MN + NP = MP, then N is between M and P.